




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: 1/4"

IN-SWING DOOR
1" & 1-1/2" INSULATED & 9/16" SINGLE
GLAZING SHOWN




- GLASS PENETRATION: 9/16"
- 3/32" VENT FLUSH TOLERANCE IN CLOSED POSITION.
- EXTERIOR RATED PRODUCTS HAVE WEEP SLOTS ON HORIZONTAL SILLS.

0 0.5 1
(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


IN-SWING DOOR DETAILS
1" INSULATED GLAZING SHOWN



0 0.5 1
(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


IN-SWING DOOR DETAILS
9/16" SINGLE GLAZING SHOWN



0 0.5 1
(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL


IN-SWING DOOR DETAILS
1-1/2" INSULATED GLAZING SHOWN




0 0.5 1
(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

IN-SWING DOOR DETAILS
1" INSULATED GLAZING SHOWN






(USE RULER TO SCALE DIMENSIONS IN INCHES)


SCALE: FULL

IN-SWING DOOR DETAILS 1" INSULATED GLAZING SHOWN



3


BLOCK JAMB
HANDLE SIDE




(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

IN-SWING DOOR DETAILS 1" INSULATED GLAZING SHOWN






(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

IN-SWING DOOR DETAILS 1" INSULATED GLAZING SHOWN

5

PAIRED DOORS
WITH ASTRAGAL



EXTERIOR

0 0.5 1
(USE RULER TO SCALE DIMENSIONS IN INCHES)

SCALE: FULL

IN-SWING DOOR DETAILS
1" INSULATED GLAZING SHOWN

6

O/O TDL BAR
W/ KICK PLATE

