NFRC Product Certification Authorization Report

Manufacturer: Fleetwood Windows
Street: 1 Fleetwood Way
City/State/Zip: Corona, CA 92879
Print Date: 07/16/2026

Product Series: EDGE |s|with EDGE |f| - OX Sliding Door
Product Type: DDSG
Air Leakage:

Simulation Lab: SWWW
Sim. Report #: FLE26002-SS
Sim. Report Date: 07/15/2026
Test Date: 05/29/2026

Initial Cert. Date: 10/19/2022
Re-Certification Date: 07/16/2026
Revised Date: 01/01/1970
Expiration Date: 05/29/2031

CPD Number: FLE-M-121 — **IA: National Accreditation And Management Institute**

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Index
	00059-00001	Clear/Arg 6mm SS-D	AN/AN	2		0.778	SS-D	Fill 1: ARG (90)	N		CL	0.54	0.71	0.77	24
	00060-00001	CIG366/Arg 6mm SS-D	AN/AN	2	0.02(2)	0.778	SS-D	Fill 1: ARG (90)	N		CL	0.36	0.26	0.61	25
	00061-00001	CIG272/Arg 6mm SS-D	AN/AN	2	0.042(2)	0.778	SS-D	Fill 1: ARG (90)	N		CL	0.37	0.39	0.68	25
	00062-00001	CIG180/Arg 6mm SS-D	AN/AN	2	0.068(2)	0.778	SS-D	Fill 1: ARG (90)	N		CL	0.38	0.59	0.75	25
	00063-00001	CIG340/Arg 6mm SS-D	AN/AN	2	0.028(2)	0.778	SS-D	Fill 1: ARG (90)	N		CL	0.37	0.18	0.37	25
	00064-00001	Clear-i89/Arg 6mm SS-D	AN/AN	2	0.149(4)	0.778	SS-D	Fill 1: ARG (90)	N		CL	0.42	0.64	0.76	23
	00065-00001	CIG366-i89/Arg 6mm SS-D	AN/AN	2	0.02(2), 0.149(4)	0.778	SS-D	Fill 1: ARG (90)	N		CL	0.31	0.26	0.60	23
	00066-00001	CIG272-i89/Arg 6mm SS-D	AN/AN	2	0.042(2), 0.149(4)	0.778	SS-D	Fill 1: ARG (90)	N		CL	0.32	0.38	0.66	23
	00067-00001	CIG180-i89/Arg 6mm SS-D	AN/AN	2	0.068(2), 0.149(4)	0.778	SS-D	Fill 1: ARG (90)	N		CL	0.32	0.57	0.73	23
	00068-00001	CIG340-i89/Arg 6mm SS-D	AN/AN	2	0.028(2), 0.149(4)	0.778	SS-D	Fill 1: ARG (90)	N		CL	0.31	0.17	0.36	23
	00069-00001	Clear/Arg 6mm SS-D	AN/AN	2		0.778	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.54	0.63	0.69	24
	00070-00001	CIG366/Arg 6mm SS-D	AN/AN	2	0.02(2)	0.778	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.36	0.24	0.54	25
	00071-00001	CIG272/Arg 6mm SS-D	AN/AN	2	0.042(2)	0.778	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.37	0.35	0.60	25
	00072-00001	CIG180/Arg 6mm SS-D	AN/AN	2	0.068(2)	0.778	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.38	0.53	0.66	25
	00073-00001	CIG340/Arg 6mm SS-D	AN/AN	2	0.028(2)	0.778	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.37	0.16	0.33	25
	00074-00001	Clear-i89/Arg 6mm SS-D	AN/AN	2	0.149(4)	0.778	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.42	0.57	0.67	23
	00075-00001	CIG366-i89/Arg 6mm SS-D	AN/AN	2	0.02(2), 0.149(4)	0.778	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.31	0.23	0.53	23
	00076-00001	CIG272-i89/Arg 6mm SS-D	AN/AN	2	0.042(2), 0.149(4)	0.778	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.32	0.34	0.59	23
	00077-00001	CIG180-i89/Arg 6mm SS-D	AN/AN	2	0.068(2), 0.149(4)	0.778	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.32	0.51	0.65	23
	00078-00001	CIG340-i89/Arg 6mm SS-D	AN/AN	2	0.028(2), 0.149(4)	0.778	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.31	0.15	0.32	23
	00079-00001	Clear/Arg 6mm SS-D	AN/AN	2		0.778	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.54	0.56	0.61	24
	00080-00001	CIG366/Arg 6mm SS-D	AN/AN	2	0.02(2)	0.778	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.36	0.21	0.48	25
	00081-00001	CIG272/Arg 6mm SS-D	AN/AN	2	0.042(2)	0.778	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.37	0.31	0.53	25
	00082-00001	CIG180/Arg 6mm SS-D	AN/AN	2	0.068(2)	0.778	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.38	0.47	0.58	25

NFRC Product Certification Authorization Report

Manufacturer: Fleetwood Windows
Street: 1 Fleetwood Way
City/State/Zip: Corona, CA 92879
Print Date: 07/16/2026

Product Series: EDGE |s|with EDGE |f| - OX Sliding Door
Product Type: DDSG
Air Leakage:

Simulation Lab: SWWW
Sim. Report #: FLE26002-SS
Sim. Report Date: 07/15/2026
Test Date: 05/29/2026

Initial Cert. Date: 10/19/2022
Re-Certification Date: 07/16/2026
Revised Date: 01/01/1970
Expiration Date: 05/29/2031

CPD Number: FLE-M-121 | **IA: National Accreditation And Management Institute**

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Index
	00083-00001	CIG340/Arg 6mm SS-D	AN/AN	2	0.028(2)	0.778	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.37	0.15	0.29	25
	00084-00001	Clear-i89/Arg 6mm SS-D	AN/AN	2	0.149(4)	0.778	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.42	0.51	0.59	23
	00085-00001	CIG366-i89/Arg 6mm SS-D	AN/AN	2	0.02(2), 0.149(4)	0.778	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.31	0.21	0.47	23
	00086-00001	CIG272-i89/Arg 6mm SS-D	AN/AN	2	0.042(2), 0.149(4)	0.778	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.32	0.30	0.52	23
	00087-00001	CIG180-i89/Arg 6mm SS-D	AN/AN	2	0.068(2), 0.149(4)	0.778	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.32	0.46	0.57	23
	00088-00001	CIG340-i89/Arg 6mm SS-D	AN/AN	2	0.028(2), 0.149(4)	0.778	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.31	0.14	0.28	23
	00089-00001	Clear/Air 6mm A1-D	AN/AN	2		0.788	A1-D	Fill 1: AIR (100)	N		CL	0.57	0.69	0.77	24
	00090-00001	SN68/Air 6mm A1-D	AN/AN	2	0.039(2)	0.788	A1-D	Fill 1: AIR (100)	N		CL	0.42	0.36	0.66	24
	00091-00001	sBZ-SN68/Air 6mm A1-D	AN/AN	2	0.039(3)	0.788	A1-D	Fill 1: AIR (100)	N		BZ	0.42	0.31	0.39	24
	00092-00001	SN68/Arg 6mm A1-D	AN/AN	2	0.039(2)	0.788	A1-D	Fill 1: ARG (90)	N		CL	0.38	0.36	0.66	24
	00093-00001	SNX62/Air 6mm A1-D	AN/AN	2	0.02(2)	0.788	A1-D	Fill 1: AIR (100)	N		CL	0.41	0.26	0.59	24
	00094-00001	SNX62/Arg 6mm A1-D	AN/AN	2	0.02(2)	0.788	A1-D	Fill 1: ARG (90)	N		CL	0.37	0.25	0.59	24
	00095-00001	SNX70+/Arg 6mm A1-D	AN/AN	2	0.018(2)	0.788	A1-D	Fill 1: ARG (90)	N		CL	0.37	0.27	0.63	24
	00096-00001	Clear/Air 6mm A1-D	AN/AN	2		0.788	A1-D	Fill 1: AIR (100)	G	0.75	CL	0.57	0.61	0.68	24
	00097-00001	SN68/Air 6mm A1-D	AN/AN	2	0.039(2)	0.788	A1-D	Fill 1: AIR (100)	G	0.75	CL	0.42	0.33	0.58	24
	00098-00001	sBZ-SN68/Air 6mm A1-D	AN/AN	2	0.039(3)	0.788	A1-D	Fill 1: AIR (100)	G	0.75	BZ	0.42	0.28	0.35	24
	00099-00001	SN68/Arg 6mm A1-D	AN/AN	2	0.039(2)	0.788	A1-D	Fill 1: ARG (90)	G	0.75	CL	0.38	0.32	0.58	24
	00100-00001	SNX62/Air 6mm A1-D	AN/AN	2	0.02(2)	0.788	A1-D	Fill 1: AIR (100)	G	0.75	CL	0.41	0.23	0.53	24
	00101-00001	SNX62/Arg 6mm A1-D	AN/AN	2	0.02(2)	0.788	A1-D	Fill 1: ARG (90)	G	0.75	CL	0.37	0.23	0.53	24
	00102-00001	SNX70+/Arg 6mm A1-D	AN/AN	2	0.018(2)	0.788	A1-D	Fill 1: ARG (90)	G	0.75	CL	0.37	0.24	0.56	24
	00103-00001	Clear/Air 6mm A1-D	AN/AN	2		0.788	A1-D	Fill 1: AIR (100)	G	1.50	CL	0.57	0.54	0.60	24
	00104-00001	SN68/Air 6mm A1-D	AN/AN	2	0.039(2)	0.788	A1-D	Fill 1: AIR (100)	G	1.50	CL	0.42	0.29	0.51	24
	00105-00001	sBZ-SN68/Air 6mm A1-D	AN/AN	2	0.039(3)	0.788	A1-D	Fill 1: AIR (100)	G	1.50	BZ	0.42	0.25	0.31	24
	00106-00001	SN68/Arg 6mm A1-D	AN/AN	2	0.039(2)	0.788	A1-D	Fill 1: ARG (90)	G	1.50	CL	0.38	0.29	0.51	24

NFRC Product Certification Authorization Report

Manufacturer: Fleetwood Windows
Street: 1 Fleetwood Way
City/State/Zip: Corona, CA 92879
Print Date: 07/16/2026

Product Series: EDGE |s|with EDGE |f| - OX Sliding Door
Product Type: DDSG
Air Leakage:

Simulation Lab: SWWW
Sim. Report #: FLE26002-SS
Sim. Report Date: 07/15/2026
Test Date: 05/29/2026

Initial Cert. Date: 10/19/2022
Re-Certification Date: 07/16/2026
Revised Date: 01/01/1970
Expiration Date: 05/29/2031

CPD Number: FLE-M-121 | **IA: National Accreditation And Management Institute**

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Index
	00107-00001	SNX62/Air 6mm A1-D	AN/AN	2	0.02(2)	0.788	A1-D	Fill 1: AIR (100)	G	1.50	CL	0.41	0.21	0.47	24
	00108-00001	SNX62/Arg 6mm A1-D	AN/AN	2	0.02(2)	0.788	A1-D	Fill 1: ARG (90)	G	1.50	CL	0.37	0.21	0.47	24
	00109-00001	SNX70+/Arg 6mm A1-D	AN/AN	2	0.018(2)	0.788	A1-D	Fill 1: ARG (90)	G	1.50	CL	0.37	0.22	0.49	24
	00110-00001	Clear/Arg 6mm TS-D	AN/AN	2		0.784	TS-D	Fill 1: ARG (90)	N		CL	0.54	0.69	0.77	24
	00111-00001	SN68/Arg 6mm TS-D	AN/AN	2	0.039(2)	0.784	TS-D	Fill 1: ARG (90)	N		CL	0.37	0.36	0.66	25
	00112-00001	SNX62/Arg 6mm TS-D	AN/AN	2	0.02(2)	0.784	TS-D	Fill 1: ARG (90)	N		CL	0.37	0.25	0.59	25
	00113-00001	SNX70+/Arg 6mm TS-D	AN/AN	2	0.018(2)	0.784	TS-D	Fill 1: ARG (90)	N		CL	0.36	0.27	0.63	25
	00114-00001	Clear-IS20/Arg 6mm TS-D	AN/AN	2	0.198(4)	0.784	TS-D	Fill 1: ARG (90)	N		CL	0.43	0.64	0.75	23
	00115-00001	SN68-IS20/Arg 6mm TS-D	AN/AN	2	0.039(2), 0.198(4)	0.784	TS-D	Fill 1: ARG (90)	N		CL	0.32	0.35	0.64	24
	00116-00001	SNX62-IS20/Arg 6mm TS-D	AN/AN	2	0.02(2), 0.198(4)	0.784	TS-D	Fill 1: ARG (90)	N		CL	0.32	0.25	0.58	24
	00117-00001	Clear/Arg 6mm TS-D	AN/AN	2		0.784	TS-D	Fill 1: ARG (90)	G	0.75	CL	0.54	0.61	0.68	24
	00118-00001	SN68/Arg 6mm TS-D	AN/AN	2	0.039(2)	0.784	TS-D	Fill 1: ARG (90)	G	0.75	CL	0.37	0.32	0.58	25
	00119-00001	SNX62/Arg 6mm TS-D	AN/AN	2	0.02(2)	0.784	TS-D	Fill 1: ARG (90)	G	0.75	CL	0.37	0.23	0.53	25
	00120-00001	SNX70+/Arg 6mm TS-D	AN/AN	2	0.018(2)	0.784	TS-D	Fill 1: ARG (90)	G	0.75	CL	0.36	0.24	0.56	25
	00121-00001	Clear-IS20/Arg 6mm TS-D	AN/AN	2	0.198(4)	0.784	TS-D	Fill 1: ARG (90)	G	0.75	CL	0.43	0.57	0.67	23
	00122-00001	SN68-IS20/Arg 6mm TS-D	AN/AN	2	0.039(2), 0.198(4)	0.784	TS-D	Fill 1: ARG (90)	G	0.75	CL	0.32	0.32	0.57	24
	00123-00001	SNX62-IS20/Arg 6mm TS-D	AN/AN	2	0.02(2), 0.198(4)	0.784	TS-D	Fill 1: ARG (90)	G	0.75	CL	0.32	0.22	0.52	24
	00124-00001	Clear/Arg 6mm TS-D	AN/AN	2		0.784	TS-D	Fill 1: ARG (90)	G	1.50	CL	0.54	0.54	0.60	24
	00125-00001	SN68/Arg 6mm TS-D	AN/AN	2	0.039(2)	0.784	TS-D	Fill 1: ARG (90)	G	1.50	CL	0.37	0.29	0.51	25
	00126-00001	SNX62/Arg 6mm TS-D	AN/AN	2	0.02(2)	0.784	TS-D	Fill 1: ARG (90)	G	1.50	CL	0.37	0.21	0.46	25
	00127-00001	SNX70+/Arg 6mm TS-D	AN/AN	2	0.018(2)	0.784	TS-D	Fill 1: ARG (90)	G	1.50	CL	0.36	0.22	0.49	25
	00128-00001	Clear-IS20/Arg 6mm TS-D	AN/AN	2	0.198(4)	0.784	TS-D	Fill 1: ARG (90)	G	1.50	CL	0.43	0.51	0.59	23
	00129-00001	SN68-IS20/Arg 6mm TS-D	AN/AN	2	0.039(2), 0.198(4)	0.784	TS-D	Fill 1: ARG (90)	G	1.50	CL	0.32	0.28	0.50	24
	00130-00001	SNX62-IS20/Arg 6mm TS-D	AN/AN	2	0.02(2), 0.198(4)	0.784	TS-D	Fill 1: ARG (90)	G	1.50	CL	0.32	0.20	0.45	24

NFRC Product Certification Authorization Report

Manufacturer: Fleetwood Windows
Street: 1 Fleetwood Way
City/State/Zip: Corona, CA 92879
Print Date: 07/16/2026

Product Series: EDGE |s|with EDGE |f| - OX Sliding Door
Product Type: DDSG
Air Leakage:

Simulation Lab: SWWW
Sim. Report #: FLE26002-SS
Sim. Report Date: 07/15/2026
Test Date: 05/29/2026

Initial Cert. Date: 10/19/2022
Re-Certification Date: 07/16/2026
Revised Date: 01/01/1970
Expiration Date: 05/29/2031

CPD Number: FLE-M-121 | **IA: National Accreditation And Management Institute**

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Index
	00131-00001	Clear/Arg 6mm TP-D	AN/AN	2		0.750	TP-D	Fill 1: ARG (90)	N		CL	0.54	0.69	0.77	24
	00132-00001	SN68/Arg 6mm TP-D	AN/AN	2	0.039(2)	0.750	TP-D	Fill 1: ARG (90)	N		CL	0.37	0.36	0.65	25
	00133-00001	SNX62/Arg 6mm TP-D	AN/AN	2	0.02(2)	0.750	TP-D	Fill 1: ARG (90)	N		CL	0.36	0.25	0.59	25
	00134-00001	SNX70+/Arg 6mm TP-D	AN/AN	2	0.018(2)	0.750	TP-D	Fill 1: ARG (90)	N		CL	0.36	0.27	0.63	25
	00135-00001	Clear-IS20/Arg 6mm TP-D	AN/AN	2	0.198(4)	0.750	TP-D	Fill 1: ARG (90)	N		CL	0.43	0.64	0.75	23
	00136-00001	SN68-IS20/Arg 6mm TP-D	AN/AN	2	0.039(2), 0.198(4)	0.750	TP-D	Fill 1: ARG (90)	N		CL	0.32	0.35	0.64	24
	00137-00001	SNX62-IS20/Arg 6mm TP-D	AN/AN	2	0.02(2), 0.198(4)	0.750	TP-D	Fill 1: ARG (90)	N		CL	0.32	0.25	0.58	24
	00138-00001	Clear/Arg 6mm TP-D	AN/AN	2		0.750	TP-D	Fill 1: ARG (90)	G	0.75	CL	0.54	0.61	0.68	24
	00139-00001	SN68/Arg 6mm TP-D	AN/AN	2	0.039(2)	0.750	TP-D	Fill 1: ARG (90)	G	0.75	CL	0.37	0.32	0.58	25
	00140-00001	SNX62/Arg 6mm TP-D	AN/AN	2	0.02(2)	0.750	TP-D	Fill 1: ARG (90)	G	0.75	CL	0.36	0.23	0.53	25
	00141-00001	SNX70+/Arg 6mm TP-D	AN/AN	2	0.018(2)	0.750	TP-D	Fill 1: ARG (90)	G	0.75	CL	0.36	0.24	0.56	25
	00142-00001	Clear-IS20/Arg 6mm TP-D	AN/AN	2	0.198(4)	0.750	TP-D	Fill 1: ARG (90)	G	0.75	CL	0.43	0.57	0.67	23
	00143-00001	SN68-IS20/Arg 6mm TP-D	AN/AN	2	0.039(2), 0.198(4)	0.750	TP-D	Fill 1: ARG (90)	G	0.75	CL	0.32	0.32	0.57	24
	00144-00001	SNX62-IS20/Arg 6mm TP-D	AN/AN	2	0.02(2), 0.198(4)	0.750	TP-D	Fill 1: ARG (90)	G	0.75	CL	0.32	0.22	0.52	24
	00145-00001	Clear/Arg 6mm TP-D	AN/AN	2		0.750	TP-D	Fill 1: ARG (90)	G	1.50	CL	0.54	0.54	0.60	24
	00146-00001	SN68/Arg 6mm TP-D	AN/AN	2	0.039(2)	0.750	TP-D	Fill 1: ARG (90)	G	1.50	CL	0.37	0.29	0.51	25
	00147-00001	SNX62/Arg 6mm TP-D	AN/AN	2	0.02(2)	0.750	TP-D	Fill 1: ARG (90)	G	1.50	CL	0.36	0.21	0.46	25
	00148-00001	SNX70+/Arg 6mm TP-D	AN/AN	2	0.018(2)	0.750	TP-D	Fill 1: ARG (90)	G	1.50	CL	0.36	0.22	0.49	25
	00149-00001	Clear-IS20/Arg 6mm TP-D	AN/AN	2	0.198(4)	0.750	TP-D	Fill 1: ARG (90)	G	1.50	CL	0.43	0.51	0.59	23
	00150-00001	SN68-IS20/Arg 6mm TP-D	AN/AN	2	0.039(2), 0.198(4)	0.750	TP-D	Fill 1: ARG (90)	G	1.50	CL	0.32	0.28	0.50	24
	00151-00001	SNX62-IS20/Arg 6mm TP-D	AN/AN	2	0.02(2), 0.198(4)	0.750	TP-D	Fill 1: ARG (90)	G	1.50	CL	0.32	0.20	0.45	24
	00152-00001	Clear/Arg 8mm SS-D	AN/AN	2		0.632	SS-D	Fill 1: ARG (90)	N		CL	0.53	0.67	0.76	25
	00153-00001	CIG366/Arg 8mm SS-D	AN/AN	2	0.02(2)	0.632	SS-D	Fill 1: ARG (90)	N		CL	0.36	0.26	0.60	25
	00154-00001	CIG272/Arg 8mm SS-D	AN/AN	2	0.042(2)	0.632	SS-D	Fill 1: ARG (90)	N		CL	0.36	0.38	0.66	25

NFRC Product Certification Authorization Report

Manufacturer: Fleetwood Windows
Street: 1 Fleetwood Way
City/State/Zip: Corona, CA 92879
Print Date: 07/16/2026

Product Series: EDGE |s|with EDGE |f| - OX Sliding Door
Product Type: DDSG
Air Leakage:

Simulation Lab: SWWW
Sim. Report #: FLE26002-SS
Sim. Report Date: 07/15/2026
Test Date: 05/29/2026

Initial Cert. Date: 10/19/2022
Re-Certification Date: 07/16/2026
Revised Date: 01/01/1970
Expiration Date: 05/29/2031

CPD Number: FLE-M-121 | **IA: National Accreditation And Management Institute**

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Index
	00155-00001	CIG180/Arg 8mm SS-D	AN/AN	2	0.068(2)	0.632	SS-D	Fill 1: ARG (90)	N		CL	0.37	0.56	0.73	25
	00156-00001	CIG340/Arg 8mm SS-D	AN/AN	2	0.028(2)	0.632	SS-D	Fill 1: ARG (90)	N		CL	0.36	0.18	0.36	25
	00157-00001	Clear-i89/Arg 8mm SS-D	AN/AN	2	0.149(4)	0.632	SS-D	Fill 1: ARG (90)	N		CL	0.42	0.60	0.74	23
	00158-00001	CIG366-i89/Arg 8mm SS-D	AN/AN	2	0.02(2), 0.149(4)	0.632	SS-D	Fill 1: ARG (90)	N		CL	0.31	0.26	0.58	23
	00159-00001	CIG272-i89/Arg 8mm SS-D	AN/AN	2	0.042(2), 0.149(4)	0.632	SS-D	Fill 1: ARG (90)	N		CL	0.31	0.37	0.65	23
	00160-00001	CIG180-i89/Arg 8mm SS-D	AN/AN	2	0.068(2), 0.149(4)	0.632	SS-D	Fill 1: ARG (90)	N		CL	0.32	0.54	0.71	23
	00161-00001	CIG340-i89/Arg 8mm SS-D	AN/AN	2	0.028(2), 0.149(4)	0.632	SS-D	Fill 1: ARG (90)	N		CL	0.31	0.17	0.35	23
	00162-00001	Clear/Arg 8mm SS-D	AN/AN	2		0.632	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.53	0.60	0.67	25
	00163-00001	CIG366/Arg 8mm SS-D	AN/AN	2	0.02(2)	0.632	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.36	0.24	0.53	25
	00164-00001	CIG272/Arg 8mm SS-D	AN/AN	2	0.042(2)	0.632	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.36	0.34	0.59	25
	00165-00001	CIG180/Arg 8mm SS-D	AN/AN	2	0.068(2)	0.632	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.37	0.50	0.65	25
	00166-00001	CIG340/Arg 8mm SS-D	AN/AN	2	0.028(2)	0.632	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.36	0.16	0.32	25
	00167-00001	Clear-i89/Arg 8mm SS-D	AN/AN	2	0.149(4)	0.632	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.42	0.54	0.66	23
	00168-00001	CIG366-i89/Arg 8mm SS-D	AN/AN	2	0.02(2), 0.149(4)	0.632	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.31	0.23	0.52	23
	00169-00001	CIG272-i89/Arg 8mm SS-D	AN/AN	2	0.042(2), 0.149(4)	0.632	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.31	0.33	0.57	23
	00170-00001	CIG180-i89/Arg 8mm SS-D	AN/AN	2	0.068(2), 0.149(4)	0.632	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.32	0.49	0.63	23
	00171-00001	CIG340-i89/Arg 8mm SS-D	AN/AN	2	0.028(2), 0.149(4)	0.632	SS-D	Fill 1: ARG (90)	G	0.75	CL	0.31	0.15	0.31	23
	00172-00001	Clear/Arg 8mm SS-D	AN/AN	2		0.632	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.53	0.53	0.59	25
	00173-00001	CIG366/Arg 8mm SS-D	AN/AN	2	0.02(2)	0.632	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.36	0.21	0.47	25
	00174-00001	CIG272/Arg 8mm SS-D	AN/AN	2	0.042(2)	0.632	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.36	0.30	0.52	25
	00175-00001	CIG180/Arg 8mm SS-D	AN/AN	2	0.068(2)	0.632	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.37	0.45	0.57	25
	00176-00001	CIG340/Arg 8mm SS-D	AN/AN	2	0.028(2)	0.632	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.36	0.14	0.28	25
	00177-00001	Clear-i89/Arg 8mm SS-D	AN/AN	2	0.149(4)	0.632	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.42	0.48	0.58	23
	00178-00001	CIG366-i89/Arg 8mm SS-D	AN/AN	2	0.02(2), 0.149(4)	0.632	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.31	0.21	0.46	23

NFRC Product Certification Authorization Report

Manufacturer: Fleetwood Windows
Street: 1 Fleetwood Way
City/State/Zip: Corona, CA 92879
Print Date: 07/16/2026

Product Series: EDGE |s|with EDGE |f| - OX Sliding Door
Product Type: DDSG
Air Leakage:

Simulation Lab: SWWW
Sim. Report #: FLE26002-SS
Sim. Report Date: 07/15/2026
Test Date: 05/29/2026

Initial Cert. Date: 10/19/2022
Re-Certification Date: 07/16/2026
Revised Date: 01/01/1970
Expiration Date: 05/29/2031

CPD Number: FLE-M-121 — **IA: National Accreditation And Management Institute**

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Index
	00179-00001	CIG272-i89/Arg 8mm SS-D	AN/AN	2	0.042(2), 0.149(4)	0.632	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.31	0.30	0.51	23
	00180-00001	CIG180-i89/Arg 8mm SS-D	AN/AN	2	0.068(2), 0.149(4)	0.632	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.32	0.43	0.56	23
	00181-00001	CIG340-i89/Arg 8mm SS-D	AN/AN	2	0.028(2), 0.149(4)	0.632	SS-D	Fill 1: ARG (90)	G	1.50	CL	0.31	0.14	0.27	23
	00182-00001	Clear/Air 10mm A1-D	AN/AN	2		0.476	A1-D	Fill 1: AIR (100)	N		CL	0.56	0.68	0.76	25
	00183-00001	SN68/Air 10mm A1-D	AN/AN	2	0.039(2)	0.476	A1-D	Fill 1: AIR (100)	N		CL	0.40	0.36	0.64	25
	00184-00001	sBZ-SN68/Air 10mm A1-D	AN/AN	2	0.039(3)	0.476	A1-D	Fill 1: AIR (100)	N		BZ	0.40	0.24	0.27	25
	00185-00001	SN68/Arg 10mm A1-D	AN/AN	2	0.039(2)	0.476	A1-D	Fill 1: ARG (90)	N		CL	0.36	0.35	0.64	25
	00186-00001	SNX62/Air 10mm A1-D	AN/AN	2	0.02(2)	0.476	A1-D	Fill 1: AIR (100)	N		CL	0.40	0.26	0.58	25
	00187-00001	SNX62/Arg 10mm A1-D	AN/AN	2	0.02(2)	0.476	A1-D	Fill 1: ARG (90)	N		CL	0.36	0.26	0.58	25
	00188-00001	SNX70+/Arg 10mm A1-D	AN/AN	2	0.018(2)	0.476	A1-D	Fill 1: ARG (90)	N		CL	0.35	0.27	0.62	25
	00189-00001	Clear/Air 10mm A1-D	AN/AN	2		0.476	A1-D	Fill 1: AIR (100)	G	0.75	CL	0.56	0.60	0.67	25
	00190-00001	SN68/Air 10mm A1-D	AN/AN	2	0.039(2)	0.476	A1-D	Fill 1: AIR (100)	G	0.75	CL	0.40	0.32	0.57	25
	00191-00001	sBZ-SN68/Air 10mm A1-D	AN/AN	2	0.039(3)	0.476	A1-D	Fill 1: AIR (100)	G	0.75	BZ	0.40	0.22	0.24	25
	00192-00001	SN68/Arg 10mm A1-D	AN/AN	2	0.039(2)	0.476	A1-D	Fill 1: ARG (90)	G	0.75	CL	0.36	0.32	0.57	25
	00193-00001	SNX62/Air 10mm A1-D	AN/AN	2	0.02(2)	0.476	A1-D	Fill 1: AIR (100)	G	0.75	CL	0.40	0.24	0.52	25
	00194-00001	SNX62/Arg 10mm A1-D	AN/AN	2	0.02(2)	0.476	A1-D	Fill 1: ARG (90)	G	0.75	CL	0.36	0.23	0.52	25
	00195-00001	SNX70+/Arg 10mm A1-D	AN/AN	2	0.018(2)	0.476	A1-D	Fill 1: ARG (90)	G	0.75	CL	0.35	0.24	0.55	25
	00196-00001	Clear/Air 10mm A1-D	AN/AN	2		0.476	A1-D	Fill 1: AIR (100)	G	1.50	CL	0.56	0.54	0.59	25
	00197-00001	SN68/Air 10mm A1-D	AN/AN	2	0.039(2)	0.476	A1-D	Fill 1: AIR (100)	G	1.50	CL	0.40	0.29	0.50	25
	00198-00001	sBZ-SN68/Air 10mm A1-D	AN/AN	2	0.039(3)	0.476	A1-D	Fill 1: AIR (100)	G	1.50	BZ	0.40	0.20	0.21	25
	00199-00001	SN68/Arg 10mm A1-D	AN/AN	2	0.039(2)	0.476	A1-D	Fill 1: ARG (90)	G	1.50	CL	0.36	0.28	0.50	25
	00200-00001	SNX62/Air 10mm A1-D	AN/AN	2	0.02(2)	0.476	A1-D	Fill 1: AIR (100)	G	1.50	CL	0.40	0.21	0.46	25
	00201-00001	SNX62/Arg 10mm A1-D	AN/AN	2	0.02(2)	0.476	A1-D	Fill 1: ARG (90)	G	1.50	CL	0.36	0.21	0.46	25
	00202-00001	SNX70+/Arg 10mm A1-D	AN/AN	2	0.018(2)	0.476	A1-D	Fill 1: ARG (90)	G	1.50	CL	0.35	0.22	0.48	25

NFRC Product Certification Authorization Report

Manufacturer: Fleetwood Windows
Street: 1 Fleetwood Way
City/State/Zip: Corona, CA 92879
Print Date: 07/16/2026

Product Series: EDGE |s|with EDGE |f| - OX Sliding Door
Product Type: DDSG
Air Leakage:

Simulation Lab: SWWW
Sim. Report #: FLE26002-SS
Sim. Report Date: 07/15/2026
Test Date: 05/29/2026

Initial Cert. Date: 10/19/2022
Re-Certification Date: 07/16/2026
Revised Date: 01/01/1970
Expiration Date: 05/29/2031

CPD Number: FLE-M-121 | **IA: National Accreditation And Management Institute**

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Index
	00203-00001	Clear/Arg 10mm TS-D	AN/AN	2		0.440	TS-D	Fill 1: ARG (90)	N		CL	0.53	0.68	0.76	25
	00204-00001	SN68/Arg 10mm TS-D	AN/AN	2	0.039(2)	0.440	TS-D	Fill 1: ARG (90)	N		CL	0.36	0.36	0.64	26
	00205-00001	SNX62/Arg 10mm TS-D	AN/AN	2	0.02(2)	0.440	TS-D	Fill 1: ARG (90)	N		CL	0.35	0.26	0.58	26
	00206-00001	SNX70+/Arg 10mm TS-D	AN/AN	2	0.018(2)	0.440	TS-D	Fill 1: ARG (90)	N		CL	0.35	0.27	0.62	26
	00207-00001	Clear-IS20/Arg 10mm TS-D	AN/AN	2	0.198(4)	0.440	TS-D	Fill 1: ARG (90)	N		CL	0.43	0.62	0.74	24
	00208-00001	SN68-IS20/Arg 10mm TS-D	AN/AN	2	0.039(2), 0.198(4)	0.440	TS-D	Fill 1: ARG (90)	N		CL	0.31	0.34	0.62	24
	00209-00001	SNX62-IS20/Arg 10mm TS-D	AN/AN	2	0.02(2), 0.198(4)	0.440	TS-D	Fill 1: ARG (90)	N		CL	0.31	0.25	0.56	24
	00210-00001	Clear/Arg 10mm TS-D	AN/AN	2		0.440	TS-D	Fill 1: ARG (90)	G	0.75	CL	0.53	0.60	0.67	25
	00211-00001	SN68/Arg 10mm TS-D	AN/AN	2	0.039(2)	0.440	TS-D	Fill 1: ARG (90)	G	0.75	CL	0.36	0.32	0.57	26
	00212-00001	SNX62/Arg 10mm TS-D	AN/AN	2	0.02(2)	0.440	TS-D	Fill 1: ARG (90)	G	0.75	CL	0.35	0.23	0.52	26
	00213-00001	SNX70+/Arg 10mm TS-D	AN/AN	2	0.018(2)	0.440	TS-D	Fill 1: ARG (90)	G	0.75	CL	0.35	0.24	0.55	26
	00214-00001	Clear-IS20/Arg 10mm TS-D	AN/AN	2	0.198(4)	0.440	TS-D	Fill 1: ARG (90)	G	0.75	CL	0.43	0.55	0.65	24
	00215-00001	SN68-IS20/Arg 10mm TS-D	AN/AN	2	0.039(2), 0.198(4)	0.440	TS-D	Fill 1: ARG (90)	G	0.75	CL	0.31	0.31	0.55	24
	00216-00001	SNX62-IS20/Arg 10mm TS-D	AN/AN	2	0.02(2), 0.198(4)	0.440	TS-D	Fill 1: ARG (90)	G	0.75	CL	0.31	0.22	0.50	24
	00217-00001	Clear/Arg 10mm TS-D	AN/AN	2		0.440	TS-D	Fill 1: ARG (90)	G	1.50	CL	0.53	0.54	0.59	25
	00218-00001	SN68/Arg 10mm TS-D	AN/AN	2	0.039(2)	0.440	TS-D	Fill 1: ARG (90)	G	1.50	CL	0.36	0.29	0.50	26
	00219-00001	SNX62/Arg 10mm TS-D	AN/AN	2	0.02(2)	0.440	TS-D	Fill 1: ARG (90)	G	1.50	CL	0.35	0.21	0.45	26
	00220-00001	SNX70+/Arg 10mm TS-D	AN/AN	2	0.018(2)	0.440	TS-D	Fill 1: ARG (90)	G	1.50	CL	0.35	0.22	0.48	26
	00221-00001	Clear-IS20/Arg 10mm TS-D	AN/AN	2	0.198(4)	0.440	TS-D	Fill 1: ARG (90)	G	1.50	CL	0.43	0.49	0.57	24
	00222-00001	SN68-IS20/Arg 10mm TS-D	AN/AN	2	0.039(2), 0.198(4)	0.440	TS-D	Fill 1: ARG (90)	G	1.50	CL	0.31	0.28	0.48	24
	00223-00001	SNX62-IS20/Arg 10mm TS-D	AN/AN	2	0.02(2), 0.198(4)	0.440	TS-D	Fill 1: ARG (90)	G	1.50	CL	0.31	0.20	0.44	24
	00224-00001	Clear/Arg 10mm TP-D	AN/AN	2		0.438	TP-D	Fill 1: ARG (90)	N		CL	0.53	0.68	0.76	25
	00225-00001	SN68/Arg 10mm TP-D	AN/AN	2	0.039(2)	0.438	TP-D	Fill 1: ARG (90)	N		CL	0.36	0.36	0.64	26
	00226-00001	SNX62/Arg 10mm TP-D	AN/AN	2	0.02(2)	0.438	TP-D	Fill 1: ARG (90)	N		CL	0.35	0.26	0.58	26

NFRC Product Certification Authorization Report

Manufacturer: Fleetwood Windows
Street: 1 Fleetwood Way
City/State/Zip: Corona, CA 92879
Print Date: 07/16/2026

Product Series: EDGE |s|with EDGE |f| - OX Sliding Door
Product Type: DDSG
Air Leakage:

Simulation Lab: SWWW
Sim. Report #: FLE26002-SS
Sim. Report Date: 07/15/2026
Test Date: 05/29/2026

Initial Cert. Date: 10/19/2022
Re-Certification Date: 07/16/2026
Revised Date: 01/01/1970
Expiration Date: 05/29/2031

CPD Number: FLE-M-121 — **IA: National Accreditation And Management Institute**

Status	Product Num.	Manufacturer Code	Frame/ Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Index
	00227-00001	SNX70+/Arg 10mm TP-D	AN/AN	2	0.018(2)	0.438	TP-D	Fill 1: ARG (90)	N		CL	0.35	0.27	0.62	26
	00228-00001	Clear-IS20/Arg 10mm TP-D	AN/AN	2	0.198(4)	0.438	TP-D	Fill 1: ARG (90)	N		CL	0.43	0.62	0.74	24
	00229-00001	SN68-IS20/Arg 10mm TP-D	AN/AN	2	0.039(2), 0.198(4)	0.438	TP-D	Fill 1: ARG (90)	N		CL	0.31	0.34	0.62	24
	00230-00001	SNX62-IS20/Arg 10mm TP-D	AN/AN	2	0.02(2), 0.198(4)	0.438	TP-D	Fill 1: ARG (90)	N		CL	0.31	0.25	0.56	24
	00231-00001	Clear/Arg 10mm TP-D	AN/AN	2		0.438	TP-D	Fill 1: ARG (90)	G	0.75	CL	0.53	0.60	0.67	25
	00232-00001	SN68/Arg 10mm TP-D	AN/AN	2	0.039(2)	0.438	TP-D	Fill 1: ARG (90)	G	0.75	CL	0.36	0.32	0.57	26
	00233-00001	SNX62/Arg 10mm TP-D	AN/AN	2	0.02(2)	0.438	TP-D	Fill 1: ARG (90)	G	0.75	CL	0.35	0.23	0.52	26
	00234-00001	SNX70+/Arg 10mm TP-D	AN/AN	2	0.018(2)	0.438	TP-D	Fill 1: ARG (90)	G	0.75	CL	0.35	0.24	0.55	26
	00235-00001	Clear-IS20/Arg 10mm TP-D	AN/AN	2	0.198(4)	0.438	TP-D	Fill 1: ARG (90)	G	0.75	CL	0.43	0.55	0.65	24
	00236-00001	SN68-IS20/Arg 10mm TP-D	AN/AN	2	0.039(2), 0.198(4)	0.438	TP-D	Fill 1: ARG (90)	G	0.75	CL	0.31	0.31	0.55	24
	00237-00001	SNX62-IS20/Arg 10mm TP-D	AN/AN	2	0.02(2), 0.198(4)	0.438	TP-D	Fill 1: ARG (90)	G	0.75	CL	0.31	0.22	0.50	24
	00238-00001	Clear/Arg 10mm TP-D	AN/AN	2		0.438	TP-D	Fill 1: ARG (90)	G	1.50	CL	0.53	0.54	0.59	25
	00239-00001	SN68/Arg 10mm TP-D	AN/AN	2	0.039(2)	0.438	TP-D	Fill 1: ARG (90)	G	1.50	CL	0.36	0.29	0.50	26
	00240-00001	SNX62/Arg 10mm TP-D	AN/AN	2	0.02(2)	0.438	TP-D	Fill 1: ARG (90)	G	1.50	CL	0.35	0.21	0.45	26
	00241-00001	SNX70+/Arg 10mm TP-D	AN/AN	2	0.018(2)	0.438	TP-D	Fill 1: ARG (90)	G	1.50	CL	0.35	0.22	0.48	26
	00242-00001	Clear-IS20/Arg 10mm TP-D	AN/AN	2	0.198(4)	0.438	TP-D	Fill 1: ARG (90)	G	1.50	CL	0.43	0.49	0.57	24
	00243-00001	SN68-IS20/Arg 10mm TP-D	AN/AN	2	0.039(2), 0.198(4)	0.438	TP-D	Fill 1: ARG (90)	G	1.50	CL	0.31	0.28	0.48	24
	00244-00001	SNX62-IS20/Arg 10mm TP-D	AN/AN	2	0.02(2), 0.198(4)	0.438	TP-D	Fill 1: ARG (90)	G	1.50	CL	0.31	0.20	0.44	24

Baseline Information

Test Lab	Test Date	Test Size	Tested U-Value	Standard U-Value	Test Report Number
TATF	**05/29/2026**	1978mm x 2007mm	0.410	0.395	T6450.01-301-46

Comments: N/A.

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA Signature: